

Instructions;

85586 CaluGuard Optic work gloves

Sizes: M(9), L(10), XL (11)

Download the EU Declaration of Conformity via: www.carellurvink.nl (search for "85586")

A. Usage:

These gloves have been manufactured with the greatest care and are intended to protect the hands against risks of a mechanical nature (detailed information is given later in this manual). They comply with European Regulation EU 2016/425 and they are compliant and marked.

CLL B.V. is not liable in case of improper use of the product. Assess the residual risks present to determine whether the gloves are suitable for their use. These gloves are NOT suitable for contact with foodstuffs.

B. Precautions for use:

1. Always check the gloves for flaws or imperfections before use. If the glove shows tears, holes or other signs of wear before or during use, throw it away immediately.
2. Never wear gloves that are dirty on the inside or in combination with dirty hands, this causes irritation and can cause a skin rash. Only put the gloves on dry and clean hands.
3. Do not use these gloves as protection against serrated corners, cutting plates and other sharp parts without ensuring that the performance levels (EN 388:2016+A1:2018) of this glove are sufficient to provide protection against the hazards in the specific application at your workplace.
4. Do NOT use these gloves as protection against heat, cold, (ionizing) radiation, chemical or microbiological hazards.
5. Do not use if there is a risk of entanglement with moving machinery or moving machine parts.
6. After use, it is recommended to clean the gloves with a disposable cloth. If you want to use the gloves again later, they should be stored in such a way that the inside can dry easily. These gloves are NOT washable

C. Composition / allergies:

Some gloves may contain substances that may cause allergies in particularly sensitive individuals, resulting in irritation and/or contact allergic reactions. If you suspect an allergy, consult a doctor or dermatologist. Attention; this product may contain traces of natural rubber latex which may cause allergic reactions.

D. Transport, storage, shelf life and service life:

1. Transport and store in the original packaging in a cool and dry place.
2. Keep away from ozone sources, heat sources and open flames.
3. Use the gloves within 3 year after purchase.






E. Disposal (waste):

During use, the gloves may become contaminated with contaminants or other hazardous materials. Respect the local regulations when disposing of and processing the gloves.


F. Warranty and Damage Limitation:

CLL B.V. guarantees the conformity of this product with the technical standard data of CLL B.V. on the date of delivery to the customers. Except as prohibited by law, this warranty is provided in lieu of any other warranty, including any warranties of fitness for a particular use; the responsibility of CLL B.V. is limited to reimbursing the cost price of the product in question. The purchasers and users of the product accept these warranty terms and conditions, which cannot be modified by any other agreement, whether oral or written.

G. Markings and performance of these gloves:

	Reg EU 2016/425 (PPE): Personal Protection Equipment Categorie 2 (CE II)	
	Size: M (9) L (10) XL (11)	Length: 250 mm 260 mm 280 mm
Gloves with marking: EN388:2016 (produced before November 15, 2023)	Gloves with marking: EN388:2016+A1:2018 (produced from February 2024)	
The EU-type-examination certificate is issued by: Centexbel Belgium (I.D. 0493) Technologiepark 70 B-9052 Gent, Belgium E: gent@centexbel.be	The EU-type-examination certificate is issued by: Eurofins Textile Testings Spain (S.L.U. (I.D. 2865) Germán Bernácer 4 ES-03202 Elche (Alicante) Spain E: PPE-ES@eurofins.com	
The fingertip sensitivity has been tested according to ISO 420:2003+A1:2009 (level 5)	The fingertip sensitivity has been tested according to EN ISO 21420:2020 (level 5)	
EN 388:2016 Protection against mechanical risks.  3121X	EN 388:2016+A1:2018 Protection against mechanical risks.  3131X	

H. Explanation of score on protection against mechanical risks:

EN 388:2016 (+A1:2018) 	The logo shown on the left is used to represent performance against the EN 388:2016(+A1:2018) standard.				
A.B.C.D.E.(F)	See the table below for the meaning of the score				
Display and meaning performance level:	score 1	score 2	score 3	score 4	score 5
A Abrasion resistance (cycli)	100	500	2000	8000	-
B Blade cut resistance (coupe test / index)	1,2	2,5	5,0	10,0	20,0
C Tear resistance (Newton)	10	25	50	75	-
D Puncture resistance (Newton)	20	60	100	150	-
E EN ISO Cut-resistance (Newton)	A (2)	B (5)	C (10)	D (15)	E (22)
F EN Impactprotection	P (pass) of F (fail)				
Level "X" may also apply to parameters "A" till "F", meaning "not tested" or "not applicable". Parameters "A" through "E" have only been tested (and the claimed protection only applies) on the palm of the gloves. Parameter "F" does not have to be mentioned if not tested.					

I. More information:

Carel Lurvink: quality products for safety and hygiene at work.
For more information, visit www.carellurvink.nl or visit our service center in Enschede (NL).
Do you have questions? Please send an email to our specialists at info@carellurvink.nl or call +31 53-434 4343.

Everyone deserves a clean and safe work environment