

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
 Product name : ClearGreen F4 industriële vloerreiniger
 Product code : 270513
 Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use
 Industrial/Professional use spec : Wide dispersive use
 Use of the substance/mixture : The information given in this MSDS concerns the product and is given on the assumption mentioned in section 1.1, that the product will be used in the manner and for the purposes indicated by the manufacturer.
 Use of the substance/mixture : Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners, carpet cleaners, metal cleaners)
 Function or use category : Cleaning/washing agents and additives

Title	Use descriptors
Transfer of professional product to a container (bottle/bucket/machine) (Association ref code: AISE GEIS.8a.1.a.v1)	SU22, PC35, PROC8a, ERC8a, AISE SPERC 8a.1.a.v2

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Carel Lurvink B.V.
 Marssteden 40
 7547 TC Enschede - Nederland
 T +31 (0)53-4344343 - F +31 (0)53-4337105
info@carellurvink.nl - www.carellurvink.nl

1.4. Emergency telephone number

Emergency number : +31 (0)53-4344343 (tijdens kantooruren)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
 Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
 Hazard statements (CLP) : H315 - Causes skin irritation
 H319 - Causes serious eye irritation

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

Precautionary statements (CLP) : P280 - Wear protective gloves, eye protection
P337+P313 - If eye irritation persists: Get medical advice/attention

EUH-statements : EUH210 - Safety data sheet available on request

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Butoxyethanol	(CAS No) 111-76-2 (EC No) 203-905-0 (EC Index No) 603-014-00-0 (REACH-no) 01-2119475108-36	5 - 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 Skin Irrit. 2, H315
C9-11 PARETH-6	(CAS No) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Tetrapotassiumpyrophosphate	(CAS No) 7320-34-5 (EC No) 230-785-7 (REACH-no) 01-2119489369-18	1 - 5	Eye Irrit. 2, H319
Isotridecanol, ethoxylated (8 EO)	(CAS No) 9043-30-5 (EC No) 500-027-2 (REACH-no) 02-2119552461-55	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Potassium hydroxide	(CAS No) 1310-58-3 (EC No) 215-181-3 (EC Index No) 019-002-00-8 (REACH-no) 01-2119487136-33	0,1 - 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Potassium hydroxide	(CAS No) 1310-58-3 (EC No) 215-181-3 (EC Index No) 019-002-00-8 (REACH-no) 01-2119487136-33	(0,5 =<C < 2) Eye Irrit. 2, H319 (0,5 =<C < 2) Skin Irrit. 2, H315 (2 =<C < 5) Skin Corr. 1B, H314 (C >= 5) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Irritation.

Symptoms/injuries after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium hydroxide (1310-58-3)		
United Kingdom	Local name	Potassium hydroxide
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³
2-Butoxyethanol (111-76-2)		
EU	Local name	2-Butoxyethanol
EU	IOELV TWA (mg/m ³)	98 mg/m ³
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m ³)	246 mg/m ³
EU	IOELV STEL (ppm)	50 ppm
EU	Notes	Skin
United Kingdom	Local name	2-Butoxyethanol
United Kingdom	WEL TWA (mg/m ³)	123 mg/m ³
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m ³)	246 mg/m ³
United Kingdom	WEL STEL (ppm)	50 ppm
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)

DL-Alanine-N,N-diacetic acid trisodium salt (164462-16-2)

DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	40 mg/m ³
Acute - local effects, inhalation	40 mg/m ³
Long-term - local effects, inhalation	4 mg/m ³
DNEL/DMEL (General population)	

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

DL-Alanine-N,N-diacetic acid trisodium salt (164462-16-2)

Acute - systemic effects, inhalation	20 mg/m ³
Acute - systemic effects, oral	85 mg/kg bodyweight
Acute - local effects, inhalation	20 mg/m ³
Long-term - systemic effects, oral	17 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	20 mg/m ³
Long-term - local effects, inhalation	2 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	2 mg/l
PNEC aqua (marine water)	0,2 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	24 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

Potassium hydroxide (1310-58-3)

DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m ³

2-Butoxyethanol (111-76-2)

DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	≈ 125 mg/kg bodyweight/day
Acute - systemic effects, inhalation	≈ 1091 mg/m ³
Acute - local effects, inhalation	≈ 246 mg/m ³
Long-term - systemic effects, dermal	≈ 125 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	≈ 98 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	≈ 89 mg/kg bodyweight
Acute - systemic effects, inhalation	≈ 426
Acute - systemic effects, oral	≈ 26,7 mg/kg bodyweight
Acute - local effects, inhalation	≈ 147 mg/m ³
Long-term - systemic effects, oral	≈ 6,3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	≈ 59 mg/m ³
Long-term - systemic effects, dermal	≈ 75 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	8,8 mg/l
PNEC aqua (marine water)	0,88 mg/l
PNEC aqua (intermittent, freshwater)	9,1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	34,6 mg/kg dwt
PNEC sediment (marine water)	3,46 mg/kg dwt
PNEC (Soil)	
PNEC soil	2,33 mg/kg dwt

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4	2 (< 1.5)	EN 374-2

Eye protection:

Safety glasses

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 11
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: > °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,035 g/cm ³
Solubility	: completely soluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 20 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Oxidizing agent.

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Isotridecanol, ethoxylated (8 EO) (9043-30-5)	
LD50 oral	> 500 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
C9-11 PARETH-6 (68439-46-3)	
LD50 oral	300 - 2000 mg/kg (CESIO)
Potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight
2-Butoxyethanol (111-76-2)	
LD50 oral	1746 mg/kg bodyweight
LD50 dermal	435 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	2200 mg/l/4h
Tetrapotassiumpyrophosphate (7320-34-5)	
LD50 oral	4640 mg/kg bodyweight
LD50 dermal	> 4640 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1100 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

pH: 11

Serious eye damage/irritation : Causes serious eye irritation.

pH: 11

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

ClearGreen F4 industriële vloerreiniger	
Viscosity, kinematic	< 19,3236715 mm ² /s

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Isotridecanol, ethoxylated (8 EO) (9043-30-5)	
LC50 fish 1	> 1 mg/l
EC50 other aquatic organisms 1	> 1 mg/l EC50 waterflea (48 h)
Potassium hydroxide (1310-58-3)	
LC50 fish 1	80 mg/l
2-Butoxyethanol (111-76-2)	
LC50 fish 1	1474 mg/l
EC50 other aquatic organisms 1	1550 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	911 mg/l IC50 alga (72 h) mg/l
Tetrapotassiumpyrophosphate (7320-34-5)	
EC50 other aquatic organisms 1	100 mg/l EC50 waterflea (48 h)

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

12.2. Persistence and degradability

ClearGreen F4 industriële vloerreiniger	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

2-Butoxyethanol (111-76-2)	
Log Pow	0,81

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Empty containers can be dumped after cleaning according to local legislation. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation : Labelling of contents:

Component	%
anionic surfactants, non-ionic surfactants, phosphates	<5%
Benzisothiazolinone	
Methylisothiazolinone	
perfumes	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

Other information

: None. **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
EUH210	Safety data sheet available on request
AISE SPERC 8a.1.a.v2	Wide Dispersive Use in 'Down the Drain' cleaning and maintenance products (Consumers and Professionals)
ERC8a	Wide dispersive indoor use of processing aids in open systems
PC35	Washing and cleaning products (including solvent based products)
PROC8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Expert judgment
Eye Irrit. 2	H319	Expert judgment

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

ClearGreen F4 industriële vloerreiniger

Safety Data Sheet

according to Regulation (EU) 2015/830

Annex to the safety data sheet

Product exposure scenario(s)

ES Type	ES title
Worker	AISE GEIS.8a.1.a.v1 - Version v2.1: Transfer of professional product to a container (bottle/bucket/machine)



AISE GEIS.8a.1.a.v1
Version: 1.0, May 2014





Transfer of professional product to a container (bottle/bucket/machine)







Operational conditions

Maximum duration	50 minutes per day.
Process conditions	Process is carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45 degrees Celcius is used.
	No LEV needed; good general ventilation at workplace is sufficient.

Risk management measures

Conditions and measures related to personal protection equipment (PPE), hygiene and health evaluation	Use gloves and safety goggles. See Section 8 of the SDS of this product for specifications.
	 
	Training of the worker in relation to proper use and maintenance of the PPE must be ensured.

Good practise advice

Don't eat or drink, don't smoke, no open flame	  
Wash hands after use Avoid contact with damaged skin Do not mix with other products	  
Spillage instructions	Dilute with water and mop up.
Additional good practice advice	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the SDS of the used product.

Environmental measures

Prevent that the undiluted product reaches surface waters.
--

Properties of product composition	
In Section 2 of the SDS of products and on the label the classification of the undiluted product is provided.	
The classification of a product is based on the classified ingredients in the products. All ingredients contributing to the classification of the mixture are mentioned in Section 3 of the SDS.	
Relevant limit values of the ingredients on which the exposure assessment is based, are stated in Section 8 of the SDS.	
This product may contain sensitizing ingredients, that may cause an allergic reaction in certain people. Section 15 of the SDS states these ingredients, when applicable to the product.	

Use descriptors	
SU 22	Professional use
PC 35	Washing and cleaning product
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
ERC 8a	Wide dispersive indoor use of processing aids in open systems
	If appropriate AISE SpERC 8a.1.a.v2 may apply: Wide dispersive use in "Down the drain" cleaning and maintenance products that are treated by a municipal STP.

Disclaimer: This is a generic document for communicating conditions of safe use of a product. If a GEIS code is mentioned in Section 1 of the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the GEIS CSP documents is safe, according to the GEIS Formulator Guidance. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following GEIS conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, Generic Exposure Information Sheets should always be considered in combination with the SDS and the label of the product. The GEIS Guidance for End Users provides more information.

The A.I.S.E. or the NVZ are under no conditions liable for any damage, no matter of what kind, which is the direct or indirect consequence of acts and/or decisions (partly) based on the contents of this document.