

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 02/12/2015 Revision date:-

Supersedes:

Version: 1.0

| Product name is in the sequence of the substance or mixture and uses advised against is clear with sequence of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture and uses advised against is clear set of the substance or mixture advised against is clear set of the substance or mixture advised against is clear set of the substance or mixture advised against is clear set of the substance or mixture advised against is clear set of the substance or mixture is clear set of the substanc | | Date of is: | sue: | 02/12/2015 | Revision dat | e:- Sup | ersedes: | Version: 1.0 |
|--|-----------------------|---------------------------------|--|--------------------------|--------------------|-----------------------------|--------------------|--------------|
| 1.1 Product identifier Product form : Mixture Product rane : CLEAN WASH 8 kg Product rane : CLEAN WASH 8 kg Product rane : CLEAN WASH 8 kg Product code : Tobes product rane Product rane : Determined for the substance or mixture and uses advised against 12.1 Relevant identified uses Immediate against 13.1 Details of the subplier of the safety data sheet Immediate against 13.1 Details of the substance or mixture Immediate against 14.1 Clear Keiner Production of the substance or mixture Immediate against 14.2 Clear Keiner Production of the substance or mixture Immediate against 21.2 Use dottoon of the substance or mixture Immediate against 21.3 Details of the substance or mixture Immediate against 21.4 Clear Keinstan Kadress Emergency number | SECTION 1: Ide | entification of the sub | sta | nce/mixtur <u>e and</u> | of t <u>he con</u> | npany/under <u>taking</u> | | |
| Product mane : CLEAN WASH 8 kg *roduct code : 75650 Youdd for pup :: Dewergent *roduct group :: Provider 12.1 Relevant identified uses of the substance or matture and uses advised against 12.1 Relevant identified uses Impaint and the substance or matture and uses advised against 12.1 Relevant identified uses Impaint and the substance or matture and uses advised against 12.1 Relevant identified uses Impaint and the substance or matture and uses advised against 12.1 Vise advised against Impaint and the substance or matture and uses advised against 13.0 Details of the supplier of the safety data sheet Impaint and the substance or matture and uses advised against 14.1 Deventer - Nederland Information available Impaint and the substance or matture and uses advised against 14.1 Emergency telephone number Impaint and the substance or matture and uses advised against 21.1 Classification of the substance or matture and uses advised against Impaint and the substance or matture and uses advised against 21.1 Classification according to Regulation (EC) No. 1272/2008 [CLP] Impaint and the substance or matture and uses advise advised advised advise advised advised | | | | | | | | |
| Product code : 79550 Type of product : 20stregent Product group : 20 Product : 20stregent Product group : 20 Product : | Product form | | : 1 | Vixture | | | | |
| highe of product i i Detergent i Powder i Powde | Product name | | : (| CLEAN WASH 8 kg | | | | |
| lander group i Poweer Poweer Poweer Poweer Poweer Poweer Poweer Poweer Poweer Power | Product code | | : 7 | 75650 | | | | |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses trended for general public | Type of product | | : [| Detergent | | | | |
| 1.1. Relevant identified uses trended for general public durin use category : Cleaning/washing agents and additives 1.2. Uses advised against workding of thomation available 1.3. Details of the supplier of the safety data sheet servore RV workding of thomation available 1.4. Energency talephone number 1.4. Energency talephone number 1.4. Energency talephone number 1.4. Energency talephone number 2.2. Uses advised against the substance or mixture 1.4. Energency talephone number 2.4. United Kingde main tale is the substance or mixture 2.5. EDETION 2: Hazards Identification United Kingde main treat 2.6. Classification of the substance or mixture 2.1. Label elements 2.2. Label elements 2.3. Label elements 2.4. Label elements 2.5. Section of the substance or mixture 2.6. Classification c(EC) No. 1272/2008 [CLP] 2.7. Label elements 2.8. Section of the substance or mixture 2.9. Section of the substance or mixture 2.1. Label elements 2.2. Label elements 2.3. Classification according to Regulation (EC) No. 1272/2008 [CLP] 2.4. Vash hands through y atter handing Padd-Paddis through y atter handing Padd-Paddis through y atter handing Padd-Paddis through y atter handing Padd-Paddis through y | Product group | | | | | | | |
| Address category i: Consumer use Variation or use category i: Consumer use Variation or use category i: Cleaning/washing agents and additives 1.2. Uses advised against No additional information available Image: Cleaning/washing agents and additives Sinstant 23 - 25 Statis of the supplier of the safety data sheet Sector BV Sinstant 23 - 25 Yall X O beventer - Needrand (+s) of Y126 Cleaning/washing agents and additives Lean Clean (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Sector 24 (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Variation (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Sector 24 (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Sector 24 (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Sector 24 (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Sector 24 (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Sector 24 (Statis of the supplier of the safety data sheet) Cleaning/washing agents and additives Sector 24 (Statis hat she | 1.2. Relevant | identified uses of the subs | tanc | e or mixture and use | s advised ag | jainst | | |
| Wain use category : Cosameruse Sunction or use category : Cleaning/washing agents and additives 12.2. Uses divised against Vision and Vision a | 1.2.1. Relevant | identified uses | | | | | | |
| Function or use category : Cleaning/washing agents and additives 1.2.1 Uses advised against vs additional information available 1.3.1 Details of the supplier of the safety data sheet Servora BV Suissistat 23 - 25 411 AC Deventer - Nederland +13 570 68335 - F-31 570 617126 1.4.1 Emergency telephone number Country Official advisory body Address Emergency number Comment 1.6.1 Emergency telephone number Image: Service S | Intended for genera | l public | | | | | | |
| 1.2.2. Uses advised against Va additional information available 1.3. Details of the supplier of the safety data sheet Senzera BV Substrate 32 - 25 7411 AC Deventer - Nederland F-131 570 683333 - F-31 570 617126 info@ senzora.nl - www.senzora.com 1.4. Energency telephone number Country Official advisory body Address Energency telephone number Comment United Kingdom Ogf 9 & 81. Thomas' Poisons bring Brit SER Landon Media Toxotopy Unit Outry & 81 Brit SER Landon 0870 243 2241 Country Official advisory body media Toxotopy Unit Outry & 81 Brit SER Landon SECTION 2: Hazards Identification Energency number Comment Classification according to Regulation (EC) No. 12722008 [CLP] Sector Sector Sector 16 2.2. Label elemonts Energency out of neach of chidren Consort Classification according to Regulation (EC) No. 12722008 [CLP] Sector of neach of chidren Sector Sector of neach of chidren 2.2. Label elemonts Energency out of neach of chidren Sector of neach of chidren Sector of neach of chidren 2.2. Label elemonts Energency out of neach of chidren Sector of neach of chidren Sector of neach of chidren <td>Main use category</td> <td></td> <td>: (</td> <td>Consumer use</td> <td></td> <td></td> <td></td> <td></td> | Main use category | | : (| Consumer use | | | | |
| No additional information available Servora RV Country Contropy Unif Convis & St Official advisory body Advisors & St Country Contropy Unif Convis & St Official advisory body Advisors & St Country Contropy Unif Convisors & St Official advisory body Advisors & St Country Country Country Country Official advisory body Advisors & St Country Country Country Country Country Country Country Country Country <th< td=""><td>Function or use cate</td><td>egory</td><td>: (</td><td>Cleaning/washing ager</td><td>nts and additiv</td><td>ves</td><td></td><td></td></th<> | Function or use cate | egory | : (| Cleaning/washing ager | nts and additiv | ves | | |
| 1.3. Details of the supplier of the safety data sheet Senzora BV Subsistrat 32 - 25 Y11 AC Deventer - Nederland F x31 570 683333 - F x31 570 617126 Ind@ senzora.nl - www.senzora.com I.4. Emergency telephone number Country United Kingdom United | 1.2.2. Uses adv | vised against | | | | | | |
| Sanzora DV Shifting 22 25 Shifting 22 25 Sh | No additional inform | nation available | | | | | | |
| Shustrat 23 - 25 411 AC Deventer - Nederland F -31 570 683333 - F -31 570 617126 Ide Senzora AI - www.senzora.com 14. Emergency telephone number Country United Kingdom Guys & SI Thomas Poisone Unit Media Toxicology Unit. Guys & SI Thomas Poisone SECTION 2: Hazard's Identification SECTION 2: Hazard's Identification CLP Signal word Hazard statements (CLP) Section Section 16 2: Hays hands forroughly after heading Pois-Pois-Havash and for cound pression 4: Maring Hazard statements (CLP) Section Section 16 Section Section 16 Section Section 16 Section 2: Hays I = Pois - Koep out of reach of children Pi01 - If medical advice is needed, have product container or several minutes. Remove contact lenses, if present heading Pois-Pi33 - If NE YES: Rinse cautions with water for several minutes. Remove contact lenses, if present and easy to do. Continue finsing Pi34 - Wash hands throroughly after heading Pi34 - Mash hands thro | 1.3. Details of | f the supplier of the safety of | data | sheet | | | | |
| Valiation Control Comment 1:41:1:20 Emergency telephone number Comment Country Official advisory body Address Emergency number Comment United Kingdom Guys & St. Thomas Posions Unit Monies Read 0870 243 2241 Comment Mediar Totoology Unit. Guys & St. Thomas Hospital Tract Auroles Read 0870 243 2241 Comment 20:00:00:00:00:00:00:00:00:00:00:00:00:0 | Senzora BV | | | | | | | |
| If +31 570 68333 3 - F +31 570 617126 hfo@isenzora.nl + www.senzora.com I.4. Emergency telephone number Country Official advisory body Adress Emergency number Comment United Kingdom Guy's & St Thomas Poisons Unit Adviney Road States Returns and States Poisons States Returns and States Poisons Piol I et al States Poisons States Returns and States Poisons Piol I et al States Poisons States Returns and States Poisons Piol I et al States Poisons Piol I | | Nederland | | | | | | |
| L4. Emergency telephone number Country Official advisory body United Kingdom Address Buy's & St Thomas Poisons Unit Medical Toxicology Unit, Guy's & St Thomas Houghal Tituat Emergency number Comment SECTION 2: Hazards identification 21.0 Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2: H319 Classification according to Regulation (EC) No. 1272/2008 [CLP] Categories serious eye irritation Categories serious eye irritation Categories serious eye irritation Categories serious eye irritation P102 Keep out of reach of children P24- Wash hands thoroughly after handling P305-P31-P33 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact teness, if present and easy to do. Continue rinsing P374-P313 - IF eye irritation persists: Get medical advice/attention P102 Keep out of reach of children | | | | | | | | |
| Country Official advisory body Address Emergency number Comment United Kingdom Guy's & St Thomas' Poisons Unit Thoms' Hoginal Trust Address Emergency number 0870 243 2241 SECTION 2: Hazard's Identification Bit 4 SER London 0870 243 2241 Image: Comment SECTION 2: Hazard's Identification Etc. 0870 243 2241 Image: Comment Serious eye damage/eye irritation, Category 2: H319 Image: Comment Image: Comment Image: Comment Label elements | info@senzora.nl - w | ww.senzora.com | | | | | | |
| United Kingdom Guy's & St Thomas' Poisons Int the successpy Unit: Guy's & St Thomas' Hoppital Trust Promove Yeapital Trust Hommer Yeapital Hommer Yeapital Hommer Yeapital Hommer Yeapital Hommer Yeapital Trust Hommer Yeapital Trust Hommer Yeapital Hommer Hommer Yeapital Hommer Yeapital Hommer Yeapital Hommer Hommer Yeapital Hommer | 1.4. Emergen | cy telephone number | | | | | | |
| Online Initial Tracticity Unit Barbonic Course & St. SE14 6ER London Other Local II SECTION 2: Hazards identification E14 6ER London Other Local II Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2 H319 Full ext of H statements : see section 16 2.2. Label elements E14 6ER London Labeling according to Regulation (EC) No. 1272/2008 [CLP] Full ext of H statements : see section 16 2.2. Label elements E14 6ER London Labeling according to Regulation (EC) No. 1272/2008 [CLP] Full ext of H statements : CLP) Labeling according to Regulation (EC) No. 1272/2008 [CLP] Full ext of H statements (CLP) Labeling according to Regulation (EC) No. 1272/2008 [CLP] Full ext of H statements (CLP) Labeling according to Regulation (EC) No. 1272/2008 [CLP] Full ext of H statements (CLP) Precautionary statements (CLP) F 1912 - Causes serious eye irritation Precautionary statements (CLP) F 1912 - Keep out of reach of children P284 - Wash hands thoroughly after handling P305-P313 - If eye instration persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Full resert an toppical symptoms and effects known. The powder may cause eye irr | Country | Official advisory body | | Address | | Emergency number | Comment | |
| Unit Medical Tackcology Unit, Guy's & St Thomes Hesphal Tract ECTION 2: Haspinal Tract 21. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 2.2. Label elements .abelling according to Regulation (EC) No. 1272/2008 [CLP] tacard pictograms (CLP) : Event State .abelling according to Regulation (EC) No. 1272/2008 [CLP] tacard pictograms (CLP) : H319 - Causes serious eye irritation : P102 - Keep out of reach of children : P202 - Keep out of reach of children : P203 - Keep out of reach of children : P204 - Wash hands throughly after handling : P305+P331 - If eye irritation persists: Get medical advice/attention : P101 - If medical advice is needed, have product container or label at hand : P102 - Keep out of reach of children : P23 - P333 - If eye irritation persists: Get medical advice/attention : P101 - If medical advice is needed, have product container or label at hand : P101 - If medical advice is needed, have product container or label at hand : P101 - If medical advice is needed, have product container or label at hand : P1 | United Kingdom | | IS | | | 0870 243 2241 | | |
| Thomas Hospital Trust SECTION 2: Hazards identification 21. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2 H319 Ule xt of H statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] 4azard pictograms (CLP) Figure CLP Signal word Hard 1 - Market | | | | SE 14 SEIX EURON | | | | |
| 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : : <td:< td=""> : :<!--</td--><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td:<> | | | | | | | | |
| 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : : <td:< td=""> : :<!--</td--><td>SECTION 2: Ha</td><td>zards identification</td><td></td><td></td><td></td><td></td><td></td><td></td></td:<> | SECTION 2: Ha | zards identification | | | | | | |
| Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] tazard pictograms (CLP) : Version : CLP Signal word : tazard statements (CLP) : Version : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P336 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P37+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No P3. P3. Verse physicochemical, human health and mivronmental effects nivronmental effects : No : Chied material may present a slipping hazard. < | | | ixtu | re | | | | |
| Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 CLP Signal word : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305-P331-HP338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305-P331-HP338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337-P313 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337-P313 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337-P313 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product container or label at hand P101 - If medical advice is needed, have product contact with undilute product may cause redness of the skin occur. P101 - If medical advice is real may present a slipping hazard. Hassification P102 - Keep out | | | | | | | | |
| Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : | Classification acco | | 0. 1. | | | | | |
| 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] +azard pictograms (CLP) : GHS07 CLP Signal word : +azard statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : Rokerse physicochemical, human health and environmental effects : environmental effects : Dther hazards not contributing to the lassification : Pasification : This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | | | 1319 | | | | | |
| Labelling according to Regulation (EC) No. 1272/2008 [CL.P] Hazard pictograms (CLP) : Hazard pictograms (CLP) : GHS07 : CLP Signal word : Hazard statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF INE YEES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P351+P338 - IF NE YEES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P351+P338 - IF NE YEES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P351+P338 - IF NE YEES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P351+P338 - IF NE YEES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No 23. Other hazards Averse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. I | Full text of H statem | ents : see section 16 | | | | | | |
| Hazard pictograms (CLP) : | 2.2. Label ele | ments | | | | | | |
| CLP Signal word : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Pacter warning : No 2.3. Other hazards : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. | Labelling accordin | g to Regulation (EC) No. 12 | 272/2 | 2008 [CLP] | | | | |
| CLP Signal word : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. Child substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII : State | Hazard pictograms | (CLP) | : | $\mathbf{\wedge}$ | | | | |
| CLP Signal word : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. Child substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII : State | | | | | | | | |
| CLP Signal word : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. Child substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII : State | | | | | | | | |
| CLP Signal word : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. Child substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII : State | | | | | | | | |
| Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P351+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards If there are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. Spilled material may present a slipping hazard. : Spilled material may present a slipping hazard. | | | | GHS07 | | | | |
| Precautionary statements (CLP) : P102 - Keep out of reach of children P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards Vo Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. | CLP Signal word | | : \ | Warning | | | | |
| P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. | Hazard statements | (CLP) | : H319 - Causes serious eye irritation | | | | | |
| P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards : No Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. | Precautionary state | ments (CLP) | | | | | | |
| contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at handChild-resistant fastening: NoFactile warning: No2.3. Other hazards | | | | | | | or several minutes | Remove |
| P101 - If medical advice is needed, have product container or label at hand Child-resistant fastening : No Factile warning : No 2.3. Other hazards Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | | | | | | | | . Remove |
| Child-resistant fastening : No Factile warning : No 2.3. Other hazards | | | | | | | | |
| Factile warning : No 2.3. Other hazards Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Other hazards not contributing to the classification : Spilled material may present a slipping hazard. This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | | | | | e is needed, | nave product container or | label at hand | |
| 2.3. Other hazards Adverse physicochemical, human health and environmental effects Servironmental effects Cher hazards not contributing to the classification This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | Ũ | | | | | | | |
| Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Cher hazards not contributing to the classification This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | ractile warning | | : 1 | NU | | | | |
| environmental effects Inhalation of finely ground product may cause sensitization. For frequent contact with undilute product may cause redness of the skin occur. Dther hazards not contributing to the : Spilled material may present a slipping hazard. classification This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | | | | | | | | |
| Other hazards not contributing to the : Spilled material may present a slipping hazard. classification This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | | | I | nhalation of finely grou | ind product m | nay cause sensitization. Fo | | |
| classification This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | Other hazards not c | ontributing to the | | | | | | |
| | classification | | | | | | | |
| | | | | 0 | - | | | |

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------|---|---------|--|
| SODIUM CARBONATE | (CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19 | 15 - 30 | Eye Irrit. 2, H319 |
| SODIUM SILICATE | (CAS No) 1344-09-8 (EC no) 215-687-4 | < 5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 |
| C12-15 PARETH-7 | (CAS No) 68131-39-5 (EC no) polymer (REACH-no) 02-2119548515-35 | < 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |

Full text of H-phrases: see section 16

| SECTION 4: First aid measures | | | | |
|--|---|--|--|--|
| 4.1. Description of first aid measures | | | | |
| First-aid measures general | : Does not require any particular or specific measures. Handle in accordance with the usual hygiene rules. | | | |
| First-aid measures after inhalation | : Move to fresh air. Obtain medical attention if necessary. | | | |
| First-aid measures after skin contact | : Rinse skin with plenty of water or shower. If skin irritation persists, take medical advice. | | | |
| First-aid measures after eye contact | : Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If irritation persists, consult a doctor. | | | |
| First-aid measures after ingestion | : Drink plenty of water. Do not induce vomiting. Call a doctor. | | | |
| 4.2. Most important symptoms and effe | cts, both acute and delayed | | | |
| Symptoms/injuries | : Not expected to present a significant hazard under anticipated conditions of normal use. | | | |
| Symptoms/injuries after inhalation | : May cause respiratory irritation. | | | |
| Symptoms/injuries after skin contact | : Contact during a long period may cause slight irritation. | | | |
| Symptoms/injuries after eye contact | : Irritating to eyes. | | | |
| Symptoms/injuries after ingestion | : Ingestion may cause nausea, vomiting and diarrhea. | | | |
| 4.3. Indication of any immediate medica | al attention and special treatment needed | | | |
| No supplementary information available. | | | | |
| SECTION 5: Firefighting measures | | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | : Foam, powder, carbon dioxide (CO2), water spray. | | | |
| Unsuitable extinguishing media | : None. | | | |
| 5.2. Special hazards arising from the substance or mixture | | | | |
| Fire hazard | : Non combustible. | | | |
| Explosion hazard | : No dangerous reactions known. | | | |
| 5.3. Advice for firefighters | | | | |
| | N/an autoble membratem, equipment in seen of insufficient contilation | | | |

Precautionary measures fire: Wear suitable respiratory equipment in case of insufficient ventilation.Firefighting instructions: No special precautions required.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

| SECTIO | SECTION 6: Accidental release measures | | |
|----------------------|---|---------------------------------|--|
| 6.1. | Personal precautions, protective equipment and emergency procedures | | |
| 6.1.1. | For non-emergency personnel | | |
| Protective | e equipment | : No special required clothing. | |
| Emergency procedures | | : Clean spills promptly. | |
| 6.1.2. | For emergency responders | | |
| Protective | equipment | : No special required clothing. | |
| Emergen | cy procedures | : Ventilate area. | |

Safety Data Sheet

according to Regulation (EU) 2015/830

| according to Regulation (EU) 2015 | /830 |
|-----------------------------------|--|
| 6.2. Environmental pro | ecautions |
| Not in groundwater, surfacew | vater or sewerage. |
| 6.3. Methods and mate | erial for containment and cleaning up |
| Methods for cleaning up | : Collect spillage. Sweep up or shovel. |
| 6.4. Reference to othe | er sections |
| Concerning personal protecti | ive equipment to use, see section 8. |
| SECTION 7: Handling | and storage |
| 7.1. Precautions for sa | afe handling |
| Precautions for safe handling | : No specific measures are necessary. |
| Hygiene measures | : Wash hands thoroughly after handling. |
| 7.2. Conditions for sa | fe storage, including any incompatibilities |
| Storage conditions | : Protect from moisture. Keep out of reach of children. |
| Storage area | : Store tightly closed in a dry and cool place. |
| 7.3. Specific end use(| s) |
| Laundry Powder. | |
| SECTION 8: Exposure | e controls/personal protection |
| 8.1. Control paramete | rs |
| No additional information ava | ailable |
| | |
| 8.2. Exposure control | S |
| Materials for protective clothi | ng : No special required clothing |
| Hand protection | In case of repeated or prolonged contact wear gloves. Hand protection: The glove material has to be impermeable and resistant to the product/the substance/the preparation. When choosing the glove material, take account of the permeation times, the degree of permeability and the breakdown rate. Glove material: Choosing a suitable glove is not just about the material, other quality features also come into play and these differ from manufacturer to manufacturer. Given the product is composed from several substances, the durability of the glove material cannot be calculated in |

composed from several substances, the durability of the glove material cannot be calculated in advance and therefore it has to be tested before use. Always seek advice from the manufacturer of the gloves. Hygiene: Contaminated gloves should be replaced. Personal hygiene is an essential condition to ensure proper care of the hands. Gloves should only be worn when hands are clean. Hands

should be thoroughly washed and dried after having worn gloves. Permeation time of the glove material: The manufacturer of the glove can inform you of the exact permeation time; take account of this. According to DIN EN 374, when there is hand contact with the product and that contact was for a period of 15 minutes, then the gloves of the following material offer sufficient protection.

- Butyl rubber (thickness > 0.5 mm)
- Nitril rubber (thickness > 0.35 mm)
- Polychloroprene rubber (thickness > 0.4 mm)
- Natural rubber (thickness > 0.5 mm)

For continuous contact, we recommend gloves with a breakthrough time of at least 240 minutes, where preference lies with a breakthrough time of more than 480 minutes. Protection against splashes: The same gloves used for long term contact should be worn for short term contact or protection against splashes. A shorter breakthrough time can be acceptable when it is just used for a timely replacement.

| Eye protection | : In case of repeated or prolonged contact use safety glasses |
|--------------------------|---|
| Skin and body protection | : not necessary |
| Respiratory protection | : not necessary |
| | |

| SECTION 9: Physical and chemica | I properties | |
|--|----------------------------|-----|
| 9.1. Information on basic physical and | d chemical properties | |
| Physical state | : Solid | |
| Appearance | : Powder | |
| Colour | : White with blue speckles | |
| Odour | : perfumed | |
| Odour threshold | : No data available | |
| рН | : No data available | |
| pH solution | : 10 - 10.4 (1g/100ml) | |
| Relative evaporation rate (butylacetate=1) | : No data available | |
| 02/12/2015 | EN (English) | 3/7 |

Safety Data Sheet

according to Regulation (EU) 2015/830

| 5 5 5 | |
|----------------------------------|---------------------|
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : Not flammable |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No decomposition |
| Flammability (solid, gas) | : Non flammable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 1000 - 1150 g/l |
| Solubility | : Water: complete |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : Not oxidizing. |
| Explosive limits | : No data available |
| | |

9.2. Other information

No additional information available

| SECT | ION 10: Stability and reactivity |
|----------|------------------------------------|
| 10.1. | Reactivity |
| No dan | gerous reactions known. |
| 10.2. | Chemical stability |
| Stable u | under normal conditions. |
| 10.3. | Possibility of hazardous reactions |
| None. | |
| 10.4. | Conditions to avoid |
| Do not i | mix with other products. |
| 10.5. | Incompatible materials |
| No addi | tional information available |
| 10.6. | Hazardous decomposition products |

None.

| SECTION 11: Toxicological information | | |
|--|--|--|
| 11.1. Information on toxicological effects | | |
| Acute toxicity | : Not classified | |
| | Based on available data, the classification criteria are not met | |
| SODIUM CARBONATE (497-19-8) | | |
| LD50 oral rat | 2800 mg/kg | |
| LD50 dermal rabbit | ≥ 2000 mg/kg | |
| LC50 inhalation rat (mg/l) | 2.3 mg/l/4h | |
| SODIUM SILICATE (1344-09-8) | | |
| LD50 oral rat | 1300 - 2200 mg/kg | |
| C12-15 PARETH-7 (68131-39-5) | | |
| LD50 oral rat | 500 - 2000 mg/kg | |
| Skin corrosion/irritation | : Not classified | |
| Serious eye damage/irritation | : Causes serious eye irritation. | |
| Respiratory or skin sensitisation | : Not classified | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Not classified | |
| Specific target organ toxicity (single exposure) | : Not classified | |

CLEAN WASH 8 kg Safety Data Sheet

| according to Regulation (EU) 2015/830 | |
|--|--|
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Other information | : Likely routes of exposure: ingestion, inhalation, skin and eye. |
| SECTION 12: Ecological informati | on |
| 12.1. Toxicity | |
| Ecology - general | No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. |
| Ecology - water | : The surfactants in this product comply with the biodegradability criteria as laid down in Regulation (EC) no.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer. |
| SODIUM CARBONATE (497-19-8) | |
| LC50 fish 1 | (96h) 300 mg/l Lepomis macrochirus |
| EC50 Daphnia 1 | (48h) 227 mg/l Ceriodaphnia dubia |
| C12-15 PARETH-7 (68131-39-5) | |
| LC50 fish 1 | (96h) 5 (1 - 10) mg/l brachydanio rerio |
| EC50 Daphnia 1 | (48h) 5 (1 - 10) mg/l Daphnia magna |
| EC50 other aquatic organisms 1 | (72h) 5 (1 - 10) mg/l Scenedesmus subspicatus |
| 12.2. Persistence and degradability | |
| CLEAN WASH 8 kg | |
| Persistence and degradability | Not established. |
| 12.3. Bioaccumulative potential | |
| CLEAN WASH 8 kg | |
| Bioaccumulative potential | Not established. |
| | |
| 12.4. Mobility in soil | |
| No additional information available | |
| 12.5. Results of PBT and vPvB assess | ment |
| CLEAN WASH 8 kg | |
| This substance/mixture does not meet the P | 'BT criteria of REACH regulation, annex XIII |
| This substance/mixture does not meet the v | PvB criteria of REACH regulation, annex XIII |
| 12.6. Other adverse effects | |
| Additional information | : No other effects known. Avoid release to the environment |
| | |
| SECTION 13: Disposal considerat | ions |
| 13.1. Waste treatment methods | |
| Regional legislation (waste) | : Disposal must be done according to official regulations. |
| Waste disposal recommendations | : Dispose of contents/container to local regulations. |
| Ecology - waste materials | : Avoid release to the environment. |
| SECTION 14: Transport information | on . |
| In accordance with ADR / RID / IMDG / IATA | / ADN |
| 14.1. UN number | |
| Not regulated for transport | |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (ADR) | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN) | : Not applicable |
| Proper Shipping Name (RID) | : Not applicable |
| ······································ | 11 |

Safety Data Sheet

according to Regulation (EU) 2015/830

| 14.3. Transport hazard class(es) | |
|---------------------------------------|--|
| ADR | |
| Transport hazard class(es) (ADR) | : Not applicable |
| IMDG | |
| Transport hazard class(es) (IMDG) | : Not applicable |
| ΙΑΤΑ | |
| Transport hazard class(es) (IATA) | : Not applicable |
| ADN | |
| Transport hazard class(es) (ADN) | : Not applicable |
| RID | |
| Transport hazard class(es) (RID) | : Not applicable |
| | |
| 14.4. Packing group | |
| Packing group (ADR) | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN) | : Not applicable |
| Packing group (RID) | : Not applicable |
| 14.5. Environmental hazards | |
| Dangerous for the environment | : No |
| · · · · · · · · · · · · · · · · · · · | |
| Marine pollutant | : No |
| Other information | : No supplementary information available |
| | |

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea No data available

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Detergent Regulation : Labelling of contents:

| Component | % |
|-------------------------------|-----|
| Non-ionic surfactants, Soap | <5% |
| Optical brighteners, Perfumes | |

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 16: Other information

Training advice Other information

Normal use of this product shall imply use in accordance with the instructions on the packaging.None.

| Full text of H- and EUH-state | ments: |
|-------------------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H412 | Harmful to aquatic life with long lasting effects |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product